

## BLINDNIETE



FLACHRUNDKOPF MIT GERILLTEM NIETDORN (~ DIN EN ISO 15983)

## BLIND RIVETS

DOMED HEAD WITH GROOVED MANDREL (~ DIN EN ISO 15983)

## RIVETS AVEUGLES

TÊTE PLATE AVEC CLOU CANNÉLÉ (~ DIN EN ISO 15983)



D: Edelstahl A2 [ 1.4301 ]

GB: Stainless steel A2 [ AISI 304 ]

F: Acier inox A2 [ 1.4301 ]

D: Edelstahl A2 [ 1.4301 ]

GB: Stainless steel A2 [ AISI 304 ]

F: Acier inox A2 [ 1.4301 ]

### Ø 3,0 mm

D1 = 3,0 + 0,08 / - 0,1 mm

D2 = 6,5 + 0 / - 0,7 mm

k = 0,8 +/- 0,2 mm

d = 1,9 mm

P ≥ 27,0 mm

L = + 1,0 / - 0,2 mm

3,1 mm

	F-Max		CODE				100  = €		100  = €
3,0 x 4,0 mm	8,4 mm	0,5 - 2,0 mm	70301 30400	1600 N	2000 N		6,95	10000	6,75
3,0 x 6,0 mm	10,4 mm	1,0 - 3,0 mm	70301 30600				7,25	10000	7,05
3,0 x 8,0 mm	12,4 mm	3,0 - 5,0 mm	70301 30800				8,00	10000	7,80
3,0 x 10,0 mm	14,4 mm	5,0 - 7,0 mm	70301 30100				9,05	10000	8,85
3,0 x 12,0 mm	16,4 mm	7,0 - 9,0 mm	70301 30120				11,75	10000	11,55
3,0 x 16,0 mm	20,4 mm	9,0 - 13,0 mm	70301 30160				13,35	10000	13,15

### Ø 3,2 mm

D1 = 3,2 + 0,08 / - 0,1 mm

D2 = 6,5 + 0 / - 0,7 mm

k = 0,8 +/- 0,2 mm

d = 2,0 mm

P ≥ 27,0 mm

L = + 1,0 / - 0,2 mm

3,3 mm

	F-Max		CODE				100  = €		100  = €
3,2 x 4,0 mm	8,9 mm	0,5 - 2,0 mm	70301 32400	1800 N	2500 N		7,10	10000	6,90
3,2 x 6,0 mm	10,9 mm	1,0 - 3,0 mm	70301 32600				7,40	10000	7,40
3,2 x 8,0 mm	12,9 mm	3,0 - 5,0 mm	70301 32800				8,15	10000	7,95
3,2 x 10,0 mm	14,9 mm	5,0 - 7,0 mm	70301 32100				9,40	10000	9,20
3,2 x 12,0 mm	16,9 mm	7,0 - 9,0 mm	70301 32120				11,80	10000	11,60
3,2 x 14,0 mm	18,9 mm	8,0 - 10,0 mm	70301 32140				13,10	10000	12,90
3,2 x 16,0 mm	20,9 mm	9,0 - 12,0 mm	70301 32160				13,50	10000	13,30
3,2 x 18,0 mm	22,9 mm	12,0 - 15,0 mm	70301 32180				15,55	10000	15,35

### Ø 4,0 mm

D1 = 4,0 + 0,08 / - 0,15 mm

D2 = 8,0 + 0 / - 1,0 mm

k = 1,0 +/- 0,3 mm

d = 2,5 mm

P ≥ 27,0 mm

L = + 1,0 / - 0,2 mm

4,1 mm

	F-Max		CODE				100  = €		100  = €
4,0 x 6,0 mm	10,9 mm	1,0 - 2,5 mm	70301 40600	3100 N	3800 N		9,60	10000	9,30
4,0 x 8,0 mm	12,9 mm	2,5 - 4,5 mm	70301 40800				10,70	10000	10,40
4,0 x 10,0 mm	14,9 mm	4,5 - 6,5 mm	70301 40100				11,65	10000	11,35
4,0 x 12,0 mm	16,9 mm	6,5 - 8,5 mm	70301 40120				13,00	5000	12,70
4,0 x 14,0 mm	18,9 mm	8,5 - 10,5 mm	70301 40140				14,65	5000	14,35
4,0 x 16,0 mm	20,9 mm	9,5 - 12,0 mm	70301 40160				16,40	5000	16,10
4,0 x 18,0 mm	22,9 mm	12,0 - 14,0 mm	70301 40180				18,45	5000	18,15
4,0 x 20,0 mm	24,9 mm	14,0 - 16,0 mm	70301 40200				20,25	5000	19,95
4,0 x 25,0 mm	29,9 mm	16,0 - 20,0 mm	70301 40250				25,65	5000	25,35
4,0 x 30,0 mm	34,9 mm	20,0 - 25,0 mm	70301 40300				32,50	5000	32,20

## BLINDNIETE



FLACHRUNDKOPF MIT GERILLTEM NIETDORN (~ DIN EN ISO 15983)

## BLIND RIVETS

DOMED HEAD WITH GROOVED MANDREL (~ DIN EN ISO 15983)

## RIVETS AVEUGLES

TÊTE PLATE AVEC CLOU CANNÉLÉ (~ DIN EN ISO 15983)



D: Edelstahl A2 [ 1.4301 ]

GB: Stainless steel A2 [ AISI 304 ]

F: Acier inox A2 [ 1.4301 ]

D: Edelstahl A2 [ 1.4301 ]

GB: Stainless steel A2 [ AISI 304 ]

F: Acier inox A2 [ 1.4301 ]

### Ø 4,8 mm

D1 = 4,8 + 0,08 / - 0,15 mm

D2 = 9,5 + 0 / - 1,0 mm









k = 1,1 +/- 0,3 mm

d = 2,9 mm

P ≥ 27,0 mm

L = + 1,0 / - 0,2 mm

 4,9 mm

	F-Max		CODE				100  = €		100  = €
4,8 x 8,0 mm	13,4 mm	1,5 - 4,0 mm	70301 48800	4500 N	6000 N	500	16,10	5000	15,80
4,8 x 10,0 mm	15,4 mm	4,0 - 6,0 mm	70301 48101			500	17,05	5000	16,75
4,8 x 10,5 mm	15,9 mm	4,5 - 6,5 mm	70301 48100			500	17,55	5000	17,25
4,8 x 11,0 mm	16,4 mm	5,0 - 7,0 mm	70301 48110			500	18,10	5000	17,80
4,8 x 12,0 mm	17,4 mm	6,0 - 8,0 mm	70301 48120			500	18,80	5000	18,50
4,8 x 13,5 mm	18,9 mm	7,5 - 9,0 mm	70301 48135			500	19,35	5000	19,05
4,8 x 14,0 mm	19,4 mm	8,0 - 9,5 mm	70301 48140			500	19,95	5000	19,65
4,8 x 16,0 mm	21,4 mm	9,5 - 11,0 mm	70301 48160			500	21,10	5000	20,80
4,8 x 16,5 mm	21,9 mm	10,0 - 11,5 mm	70301 48165			500	21,40	5000	21,10
4,8 x 18,0 mm	23,4 mm	11,0 - 13,0 mm	70301 48180			500	21,95	5000	21,65
4,8 x 20,0 mm	25,4 mm	11,0 - 15,0 mm	70301 48200			500	23,50	5000	23,20
4,8 x 22,0 mm	27,4 mm	15,0 - 17,0 mm	70301 48220			500	27,50	5000	27,20
4,8 x 25,0 mm	30,4 mm	17,0 - 20,0 mm	70301 48250			250	28,00	2500	27,70
4,8 x 26,0 mm	31,4 mm	17,5 - 21,0 mm	70301 48260			250	29,50	2500	29,20
4,8 x 27,0 mm	32,4 mm	18,0 - 22,0 mm	70301 48270			250	31,00	2500	30,70
4,8 x 30,0 mm	35,4 mm	21,0 - 25,0 mm	70301 48300			250	33,90	2500	33,60

### Ø 5,0 mm

D1 = 5,0 + 0,08 / - 0,15 mm

D2 = 9,5 + 0 / - 1,0 mm









k = 1,1 +/- 0,3 mm

d = 2,9 mm

P ≥ 27,0 mm

L = + 1,0 / - 0,2 mm

 5,1 mm

	F-Max		CODE				100  = €		100  = €
5,0 x 8,0 mm	13,4 mm	2,0 - 4,0 mm	70301 50800	5000 N	6500 N	500	16,60	5000	16,30
5,0 x 10,0 mm	15,4 mm	4,0 - 6,0 mm	70301 50100			500	17,60	5000	17,30
5,0 x 12,0 mm	17,4 mm	6,0 - 8,0 mm	70301 50120			500	19,20	5000	18,90
5,0 x 14,0 mm	19,4 mm	8,0 - 10,0 mm	70301 50140			500	20,25	5000	19,95
5,0 x 16,0 mm	21,4 mm	10,0 - 12,0 mm	70301 50160			500	21,35	5000	21,05
5,0 x 18,0 mm	23,4 mm	12,0 - 14,0 mm	70301 50180			500	23,10	5000	22,80
5,0 x 20,0 mm	25,4 mm	14,0 - 16,0 mm	70301 50200			500	24,50	5000	24,20
5,0 x 25,0 mm	30,4 mm	16,0 - 21,0 mm	70301 50250			250	29,30	2500	29,00
5,0 x 30,0 mm	35,4 mm	21,0 - 25,0 mm	70301 50300			250	35,20	2500	34,90
5,0 x 35,0 mm	40,4 mm	25,0 - 30,0 mm	70301 50350			250	37,85	2500	37,55

## BLINDNIETE



FLACHRUNDKOPF MIT GERILLTEM NIETDORN (~ DIN EN ISO 15983)

## BLIND RIVETS

DOMED HEAD WITH GROOVED MANDREL (~ DIN EN ISO 15983)

## RIVETS AVEUGLES

TÊTE PLATE AVEC CLOU CANNÉLÉ (~ DIN EN ISO 15983)



D: Edelstahl A2 [ 1.4301 ]

GB: Stainless steel A2 [ AISI 304 ]

F: Acier inox A2 [ 1.4301 ]

D: Edelstahl A2 [ 1.4301 ]

GB: Stainless steel A2 [ AISI 304 ]

F: Acier inox A2 [ 1.4301 ]

### Ø 6,0 mm

D1 = 6,0 + 0,08 / - 0,15 mm

D2 = 12,0 + 0 / - 1,5 mm











k = 1,5 +/- 0,4 mm

d = 3,6 mm

P ≥ 31,0 mm

L = + 1,0 / - 0,2 mm

 6,1 mm

	F-Max		CODE				100  = €		100  = €
6,0 x 10,0 mm	15,9 mm	2,0 - 4,0 mm	70301 60100	6500 N	8850 N		23,80		23,40
6,0 x 12,0 mm	17,9 mm	4,0 - 6,0 mm	70301 60120			250	25,65	2500	25,25
6,0 x 15,0 mm	20,9 mm	6,0 - 9,0 mm	70301 60150			250	29,25	2500	28,85
6,0 x 18,0 mm	23,9 mm	9,0 - 12,0 mm	70301 60180			250	35,00	2500	34,60
6,0 x 20,0 mm	25,9 mm	10,0 - 14,0 mm	70301 60200			250	38,60	2500	38,20
6,0 x 22,0 mm	27,9 mm	12,0 - 16,0 mm	70301 60220			250	44,35	2500	43,95
6,0 x 25,0 mm	30,9 mm	15,0 - 19,0 mm	70301 60250			250	47,60	2500	47,20

### Ø 6,4 mm

D1 = 6,4 + 0,08 / - 0,15 mm

D2 = 13,0 + 0 / - 1,5 mm











k = 1,8 +/- 0,4 mm

d = 3,85 mm

P ≥ 31,0 mm

L = + 1,0 / - 0,2 mm

 6,5 mm

	F-Max		CODE				100  = €		100  = €
6,4 x 10,0 mm	16,4 mm	2,0 - 4,0 mm	70301 64100	6500 N	8850 N		52,00		51,60
6,4 x 12,0 mm	18,4 mm	4,0 - 6,0 mm	70301 64120			250	53,70	2500	53,30
6,4 x 15,0 mm	21,4 mm	6,0 - 9,0 mm	70301 64150			250	56,90	2500	56,50
6,4 x 18,0 mm	24,4 mm	9,0 - 13,0 mm	70301 64180			250	62,00	2500	61,60
6,4 x 20,0 mm	26,4 mm	13,0 - 16,0 mm	70301 64200			250	65,30	2500	64,90
6,4 x 25,0 mm	31,4 mm	16,0 - 20,0 mm	70301 64250			250	69,65	2500	69,25